

Wild chimpanzees seek out medicinal plants to treat illness and injuries, study finds

June 20 2024



A Budongo chimpanzee feeding on the fruit of *F. exasperate*. Credit: Elodie Freymann, CC-BY 4.0 (creativecommons.org/licenses/by/4.0/)

Chimpanzees appear to consume plants with medicinal properties to treat their ailments, according to a study published on June 20 in the

open-access journal *PLOS ONE* by Elodie Freymann from the University of Oxford, UK, and colleagues.

Many plants produce compounds that have medicinal effects on humans and other animals. Wild chimpanzees eat a variety of plant matter, including some that is nutritionally poor but may treat or lessen the symptoms of illness. However, it is hard to determine whether chimpanzees self-medicate, by intentionally seeking out plants with properties that help their specific ailments, or passively consume plants that happen to be medicinal.

The authors of the present study combined behavioral observations of wild chimpanzees (*Pan troglodytes*) with pharmacological testing of the potentially [medicinal plants](#) they eat. They monitored the behavior and health of 51 chimpanzees from two habituated communities in the Budongo Central Forest Reserve in Uganda.

Next, they collected [plant extracts](#) from 13 species of trees and herbs in the reserve that they suspected the chimpanzees might be using to self-medicate, and tested them for their anti-inflammatory and antibiotic properties.

These included plants that they observed sick or injured chimpanzees eating, but were not part of their normal diet, and plants that previous research has suggested chimpanzees might consume for their medicinal properties.

The researchers found that 88% of the plant extracts inhibited [bacterial growth](#), while 33% had anti-inflammatory properties. Dead wood from a tree in the Dogbane family (*Alstonia boonei*) showed the strongest antibacterial activity and also had anti-inflammatory properties, suggesting that it could be used to treat wounds.

Bark and resin from the East African mahogany tree (*Khaya anthotheca*) and leaves from a fern (*Christella parasitica*) exhibited potent anti-inflammatory effects. The researchers observed a male Chimpanzee with an injured hand seek out and eat leaves of the fern, which may have helped to reduce pain and swelling. They also recorded an individual with a parasitic infection consuming bark of the cat-thorn tree (*Scutia myrtina*).

The results suggest that chimpanzees seek out specific plants for their medicinal effects. The study is one of the first to provide both behavioral and pharmacological evidence of the medicinal benefits to [wild chimpanzees](#) of feeding on bark and dead wood.

The medicinal plants growing in Budongo Central Forest Reserve could also be helpful for the development of new drugs to address the challenges of antibiotic resistant bacteria and [chronic inflammatory diseases](#), the authors say.

The authors add, "In this paper, we demonstrate how watching and learning from our primate cousins may fast-track the discovery of novel medicines, while also emphasizing the importance of protecting our forest pharmacies."

More information: Pharmacological and behavioral investigation of putative self-medicative plants in Budongo chimpanzee diets, *PLoS ONE* (2024). [DOI: 10.1371/journal.pone.0305219](https://doi.org/10.1371/journal.pone.0305219)

Provided by Public Library of Science

Citation: Wild chimpanzees seek out medicinal plants to treat illness and injuries, study finds (2024, June 20) retrieved 21 June 2024 from <https://phys.org/news/2024-06-wild-chimpanzees->

[medicinal-illness-injuries.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.